

Proceedings of the 37th Meeting of the Karnataka State Coastal Zone Management Authority held on 26.08.2022 at 03:00 PM through video conference chaired by the Additional Chief Secretary to Government, Department of Forest, Ecology and Environment.

37.01. Confirmation to the proceedings of the previous KSCZMA meeting held on 02.07.2022

The proceedings of the 36th Meeting of the Karnataka State Coastal Zone Management meeting held on 02.07.2022 was read and the authority in **Agenda Sl. No. 36.2.12** for construction of Residential Apartment by Yamuna Homes and Design Pvt. & Asha City Developers C/o Purushottam Shetty, for modification in built up area 96,188.60 Sqm to 97,765.57 Sqm due to safety measures insisted by DG, Karnataka State Fire & Emergency Services, B'lore to the proposal was considered.

The Authority after discussion and deliberation decided to approve the built up area for 97,765.57 Sqm instead of 96,188.60 Sqm due to safety measures insisted by DG, Karnataka State Fire & Emergency Services, B'lore to the proposal and accepted the proceedings

37.02 Request for issue of CRZ clearance for Construction of Boundary wall at Plot No. T-1, Tannirbhavi Road, Adjacent to MRPL Desalination Plant, New Mangalore Port Trust, Panambur by M/s. Sea Lord Containers Ltd., (FEE 248 CRZ 2022).

1.	Name of the Purpose	Construction of Boundary wall																														
2.	Name of the Applicant	M/s. Sea Lord Containers Ltd.,																														
3.	Location of the Project village/Town, Taluk, Dt.	Tannirbhavi Village, Mangalore Taluk, Dakshina Kannada District. GPS Reading: <table border="1" style="margin-left: 20px;"> <thead> <tr> <th>Co-ordinates</th> <th>Longitude</th> <th>Latitude</th> </tr> </thead> <tbody> <tr><td>P1</td><td>74.81355</td><td>12.91057</td></tr> <tr><td>P2</td><td>74.81356</td><td>12.91014</td></tr> <tr><td>P3</td><td>74.8131</td><td>12.90933</td></tr> <tr><td>P 4</td><td>74.81293</td><td>12.90878</td></tr> <tr><td>P5</td><td>74.81286</td><td>12.90845</td></tr> <tr><td>P6</td><td>74.81278</td><td>12.90802</td></tr> <tr><td>P7</td><td>74.81271</td><td>12.90764</td></tr> <tr><td>P8</td><td>74.81271</td><td>12.90744</td></tr> <tr><td>P9</td><td>74.81271</td><td>12.9073</td></tr> </tbody> </table>	Co-ordinates	Longitude	Latitude	P1	74.81355	12.91057	P2	74.81356	12.91014	P3	74.8131	12.90933	P 4	74.81293	12.90878	P5	74.81286	12.90845	P6	74.81278	12.90802	P7	74.81271	12.90764	P8	74.81271	12.90744	P9	74.81271	12.9073
Co-ordinates	Longitude	Latitude																														
P1	74.81355	12.91057																														
P2	74.81356	12.91014																														
P3	74.8131	12.90933																														
P 4	74.81293	12.90878																														
P5	74.81286	12.90845																														
P6	74.81278	12.90802																														
P7	74.81271	12.90764																														
P8	74.81271	12.90744																														
P9	74.81271	12.9073																														

		P10	74.81281	12.90662
		P11	74.81286	12.90647
		P12	74.81199	12.90627
		P13	74.81171	12.90762
		P14	74.81086	12.91078
		P15	74.81312	12.91094
		P16	74.81299	12.91088
		P17	74.8129	12.91088
4.	Survey No's	18, 27, 31 32, 35, 36, 37		
5.	Extent of land	21 Acre (85000 Sqm) (land provided by NMPA on 30 years Lease)		
6.	CRZ Classification	CRZ-II		
7.	Project cost	R.s 1.68 Crores		
8.	Activities Proposed	Construction of Boundary wall- 1300 m length 3 m Height		
9.	Whether permitted activity as per CRZ Notification? If yes, specify the relevant rules.	<p>Yes , As per para 3 (ii) b & 8 II CRZ- II (iv) of CRZ Notification, 2011.</p> <p>Para 3 (ii) (b) reads as follows: facilities for receipt and storage of petroleum products and liquefied natural gas as specified in Annexure-II appended to this notification and facilities for regasification of Liquefied Natural Gas (hereinafter referred to as the LNG) in the areas not classified as CRZ- I(i) subject to implementation of safety regulations including guidelines issued by the Oil Industry Safety Directorate in the Ministry of Petroleum and Natural Gas and guidelines issued by MoEF and subject to further terms and conditions for implementation of ameliorative and restorative measures in relation to environment as may be stipulated by in MoEF</p> <p>Para 8 II (iv) reads as follows: facilities for receipt and storage of petroleum products and liquefied natural gas as specified in Annexure-II appended to this notification and facilities for regasification of Liquefied Natural Gas subject to the conditions as mentioned in sub-paragraph (ii) of paragraph 3.</p>		
10.	The details of recommendations of the District	The proposal has been deliberated and recommended at DCZMC meeting held on 17-8-2022		


	Coastal Zone Management Committee (DCZMC)	
11.	Whether issue of clearance is within the scope of SCZMA or NCZMA? Specify relevant rules	KSCZMA
12.	Details of processing fee	Paid Rs 2,00,000/- Challan: CR0722040600849006 dt: 30-7-2022.
13.	Any other details	-

The Authority after discussions and deliberations decided to issue CRZ clearance for construction of Boundary Wall at Plot No. T-1, Tannirbhavi Road, Adjacent to MRPL Desalination Plant, New Mangalore Port Trust, Panambur by M/s. Sea Lord Containers Ltd., as per para 3 (ii) b & 8 II CRZ- II (iv) of CRZ Notification, 2011.

Sd/-

(JAWAID AKHTAR)

Additional Chief Secretary to Government,
Forest, Ecology & Environment Department &
Chairman, Karnataka State Coastal
Zone Management Authority.


(R. Gokul)
Member Secretary, KSCZMA &
Commissioner (Technical Cell),
Department of Forest, Ecology and Environment.

No FEE 204 CRZ 2021

** ** ** *